

AUTHOR INDEX TO VOLUME 121

Alper, J.S. and M.A. Lowe, Scaled quantum mechanical calculation of the vibrational structure of methylthiirane 121 (1988) 189

Ameloot, M., see N. Boens 121 (1988) 73

Auerbach, R.A., see G.N. Kwawer 121 (1988) 299

Bagus, P.S., see C.L. French 121 (1988) 315

Banichevich, A., S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier, Potential curves and predissociation rates for the species HCl^{2+} and DCl^{2+} 121 (1988) 351

Barclay, V.J. and J.S. Wright, MRD CI potential surfaces using balanced basis sets. V. Second-row diatomic hydrides 121 (1988) 381

Baudon, J., see P. Féron 121 (1988) 155

Bawagan, A.O., see C.L. French 121 (1988) 315

Beijerinck, H.C.W., see E.R.T. Kerstel 121 (1988) 211

Benfatto, M., see M.F. Ruiz-Lopez 121 (1988) 419

Bertault, M., see M. Orczyk 121 (1988) 245

Blau, W., see C. Maloney 121 (1988) 21

Bodeur, S., see K.H. Sze 121 (1988) 279

Boens, N., M. Ameloot, I. Yamazaki and F.C. de Schryver, On the use and the performance of the delta function convolution method for the estimation of fluorescence decay parameters 121 (1988) 73

Boens, N., A. Malliaris, M. van der Auweraer, H. Luo and F.C. de Schryver, Simultaneous analysis of single-photon timing data with a reference method: application to a Poisson distribution of decay rates 121 (1988) 199

Bombach, R., B. Hemmerling and W. Demtröder, Measurement of broadening rates, shifts, and effective lifetimes of Li_2 Rydberg levels by optical double-resonance spectroscopy 121 (1988) 439

Boyd, R.J., see K.V. Darvesh 121 (1988) 361

Brion, C.E., see K.H. Sze 121 (1988) 279

Brion, C.E., see C.L. French 121 (1988) 315

Brodovitch, J.-C., see S.-K. Leung 121 (1988) 393

Browarzik, R.K., see R.D. Kenner 121 (1988) 457

Bull, T.E., Fokker-Planck-Langevin and extended diffusion models of internal rotation in molecules. I. Symmetric internal rotor 121 (1988) 1

Byrne, H., see C. Maloney 121 (1988) 21

Camacho, J.J., see A. Pardo 121 (1988) 41

Chrapeć, J., see W. Pyżuk 121 (1988) 255

Cooper, I.L., A unified approach to the perturbed Morse oscillator and Simons-Parr-Finlan diatomic potential functions 121 (1988) 343

Darvesh, K.V., R.J. Boyd and S.D. Peyerimhoff, Electronically excited states of chlorine monofluoride: a multi-reference configuration interaction study 121 (1988) 361

Davidson, E.R., see C.L. French 121 (1988) 315

Deeth, R.J., B.N. Figgis and M.I. Ogden, Spin densities and covalency in transition-metal complexes: a comparison of discrete variational $X\alpha$ calculations with polarised neutron diffraction data 121 (1988) 115

Demtröder, W., see R. Bombach 121 (1988) 439

Dennis, W.M., see C. Maloney 121 (1988) 21

De Schryver, F.C., see N. Boens 121 (1988) 73

De Schryver, F.C., see K. Nakatani 121 (1988) 87

De Schryver, F.C., see N. Boens 121 (1988) 199

Dreyfus, C., see N. Dutartre 121 (1988) 371

Duplan, J.-C., see J. Gilchrist 121 (1988) 131

Dutartre, N. and C. Dreyfus, Computation of the short-range part of the intermolecular potential between Ar and CO_2 , N_2O and OCS by two different models 121 (1988) 371

Féron, P., Ph. Girard, J. Robert, J. Reinhardt and J. Baudon, Differential and absolute total cross section measurements on elastic $\text{Ne}^*(^3\text{P}_{0,2})-\text{He}$ collisions at 64 meV 121 (1988) 155

Ferretti, A. and N.K. Rahman, A study of coupled logistic map and its applications in chemical physics. *Chem. Phys.* 119 (1988) 275. Erratum 121 (1988) 161

Figgis, B.N., see R.J. Deeth 121 (1988) 115

Fournier, P.G., see A. Banichevich 121 (1988) 351

French, C.L., C.E. Brion, A.O. Bawagan, P.S. Bagus and E.R. Davidson, Electron momentum spectroscopy of the valence orbitals of CO: quantitative comparisons using wavefunctions up to the Hartree-Fock limit 121 (1988) 315

Fukushima, M., see K. Shibuya 121 (1988) 237

Gilchrist, J., J.-C. Duplan and Y. Infarnet, Pyrrolidine conformation: a low-temperature dielectric relaxation study 121 (1988) 131

Girard, Ph., see P. Féron 121 (1988) 155

Goulon, J., see M.F. Ruiz-Lopez 121 (1988) 419

Hemmerling, B., see R. Bombach 121 (1988) 439

Hikida, T., Y. Maruyama, Y. Saito and Y. Mori, Formation of $\text{NH}(\text{c}^1\Pi)$ and $\text{NH}(\text{A}^3\Pi)$ in the photolysis of NH_3 , HN_3 and HNCO at 121.6 nm 121 (1988) 63

Hillier, I.H., see G.E. Quelch 121 (1988) 183

Hitchcock, A.P. and M. Tronc, Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shell spectra of SO_2F_2 , SO_2FCl and SO_2Cl_2 121 (1988) 265

Hitchcock, A.P., see K.H. Sze 121 (1988) 279

Infarnet, Y., see J. Gilchrist 121 (1988) 131

Kambara, T., see T. Matsuo 121 (1988) 93

Karpfen, A., see M. Kofranek 121 (1988) 137

Kase, M., see T. Matsuo 121 (1988) 93

Kasuya, T., see K. Tsukiyama 121 (1988) 55

Kelly, J.M., see C. Maloney 121 (1988) 21

Kenner, R.D., R.K. Browarzik and F. Stuhl, Two-photon formation of $\text{NH}/\text{ND}(\text{A}^3\Pi)$ in the 193 nm photolysis of ammonia. II. Photolysis of NH_2 121 (1988) 457

Kerstel, E.R.T., C.P.J.W. van Kruysdijk, J.C. Vlugter and H.C.W. Beijerinck, Long-range intermolecular potentials for the metastable rare gas-rare gas systems Ar*, Kr*($^3P_{0,2}$) + Ar, Kr, Xe 121 (1988) 211

Kofranek, M., H. Lischka and A. Karpfen, Coupled pair functional study on the hydrogen fluoride dimer. I. Energy surface and characterization of stationary points 121 (1988) 137

Kumagai, H., see T. Matsuo 121 (1988) 93

Kwawer, G.N., R.A. Auerbach and G.L. McPherson, Exciton trapping at perturbed Mn²⁺ sites in Li⁺ doped crystals of RbMnCl₃ and CsMnBr₃ 121 (1988) 299

Leung, S.-K., J.-C. Brodovitch, P.W. Percival, D. Yu and K.E. Newman, The reaction of muonium with hydrated electrons 121 (1988) 393

Lischka, H., see M. Kofranek 121 (1988) 137

Loos, M., see M.F. Ruiz-Lopez 121 (1988) 419

Lowe, M.A., see J.S. Alper 121 (1988) 189

Luo, H., see N. Boens 121 (1988) 199

Majitov, M.I., see Yu.A. Serebrennikov 121 (1988) 307

Malliaris, A., see N. Boens 121 (1988) 199

Maloney, C., H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly, Picosecond optical phase conjugation using conjugated organic molecules 121 (1988) 21

Malysheva, L.I., see A.I. Onipko 121 (1988) 99

Martin, E., see A. Pardo 121 (1988) 41

Maruyama, Y., see T. Hikida 121 (1988) 63

Mataga, N., see K. Nakatani 121 (1988) 87

Matsuo, T., T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara, Production of multiply charged ions from CO and CO₂ molecules in energetic heavy-ion impact 121 (1988) 93

McPherson, G.L., see G.N. Kwawer 121 (1988) 299

Mori, Y., see T. Hikida 121 (1988) 63

Motyka, A.L. and M.R. Topp, Non-radiative relaxation in jet-cooled xanthione and some molecular complexes studied by fluorescence and phosphorescence excitation 121 (1988) 405

Muldakhmetov, Z.M., see Yu.A. Serebrennikov 121 (1988) 307

Munakata, T., see K. Tsukiyama 121 (1988) 55

Munn, R.W. and R.J. Phillips, Effective polarizabilities in absorbing regions of molecular crystals 121 (1988) 335

Nakatani, K., T. Okada, N. Mataga and F.C. de Schryver, Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in polar solvents 121 (1988) 87

Natoli, C.R., see M.F. Ruiz-Lopez 121 (1988) 419

Nemoto, M., see K. Shibuya 121 (1988) 237

Newman, K.E., see S.-K. Leung 121 (1988) 393

Obi, K., see K. Shibuya 121 (1988) 237

Ogden, M.I., see R.J. Deeth 121 (1988) 115

Okada, T., see K. Nakatani 121 (1988) 87

Onipko, A.I., L.I. Malysheva and I.V. Zozulenko, Diffusive excitation energy transport in quasi-one-dimensional crystals with traps and in related systems 121 (1988) 99

Orczyk, M., J. Sworakowski, M. Schott and M. Bertault, Evolution of photoelectric signal in *p*TS diacetylene single crystals during solid-state polymerization 121 (1988) 245

Pardo, A., J.J. Camacho, J.M.L. Poyato and E. Martin, Accurate potential energy curves for the $X^1\Sigma^+$ and $A^1\Sigma^+$ states of NaH 121 (1988) 41

Percival, P.W., see S.-K. Leung 121 (1988) 393

Peyerimhoff, S.D., see A. Banichevich 121 (1988) 351

Peyerimhoff, S.D., see K.V. Darvesh 121 (1988) 361

Phillips, R.J., see R.W. Munn 121 (1988) 335

Poyato, J.M.L., see A. Pardo 121 (1988) 41

Pyżuk, W., I. Słomka, J. Chrapeć, S. Rzoska and J. Ziolo, Pretransitional nonlinear dielectric effect, Kerr effect and optical rotation in isotropic cholesterogens 121 (1988) 255

Quelch, G.E. and I.H. Hillier, An ab initio molecular orbital study of the structure and vibrational frequencies of methyl copper hydride, CH_3CuH 121 (1988) 183

Rahman, N.K., see A. Ferretti 121 (1988) 161

Reinhardt, J., see P. Féron 121 (1988) 155

Robert, J., see P. Féron 121 (1988) 155

Roliński, O., Time evolution of the excited solute-solvent interaction energy. An approach based on the Fokker-Planck equation 121 (1988) 175

Ruiz-Lopez, M.F., M. Loos, J. Goulon, M. Benfatto and C.R. Natoli, Reinvestigation of the EXAFS and XANES spectra of ferrocene and nickelocene in the framework of the multiple scattering theory 121 (1988) 419

Rzoska, S., see W. Pyżuk 121 (1988) 255

Saito, Y., see T. Hikida 121 (1988) 63

Schott, M., see M. Orczyk 121 (1988) 245

Serebrennikov, Yu.A., M.I. Majitov and Z.M. Muldakhmetov, Zero-field NMR line shapes: heteronuclear spin systems 121 (1988) 307

Shibuya, K., M. Nemoto, A. Yanagibori, M. Fukushima and K. Obi, Spectroscopy and kinetics of thiophenoxy radicals in the gas phase 121 (1988) 237

Sienicki, K. and M.A. Winnik, Donor-acceptor kinetics in the presence of energy migration. Forward and reverse energy transfer 121 (1988) 163

Słomka, I., see W. Pyżuk 121 (1988) 255

Stuhl, F., see R.D. Kenner 121 (1988) 457

Sworakowski, J., see M. Orczyk 121 (1988) 245

Sze, K.H., C.E. Brion, M. Tronc, S. Bodeur and A.P. Hitchcock, Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy loss and photoabsorption spectroscopies 121 (1988) 279

Szostak, M.M., Vibronic couplings in vibrational spectra and nonlinear electrooptic properties of meta-nitroaniline crystal 121 (1988) 449

Tawara, H., see T. Matsuo 121 (1988) 93

Tonuma, T., see T. Matsuo 121 (1988) 93

Topp, M.R., see A.L. Motyka 121 (1988) 405

Tronc, M., see A.P. Hitchcock 121 (1988) 265

Tronc, M., see K.H. Sze 121 (1988) 279
Tsukakoshi, M., see K. Tsukiyama 121 (1988) 55
Tsukiyama, K., T. Munakata, M. Tsukakoshi and T. Kasuya, Fluorescence lifetimes of NO
 $A^2\Sigma^+(v'=3 \text{ and } 4)$, $C^2\Pi(v'=0)$ and $D^2\Sigma^+(v'=0)$ studied by tunable VUV laser
excitation 121 (1988) 55

Van der Auweraer, M., see N. Boens 121 (1988) 199
Van Hemert, M.C., see A. Banichevich 121 (1988) 351
Van Kruysdijk, C.P.J.W., see E.R.T. Kerstel 121 (1988) 211
Vlugter, J.C., see E.R.T. Kerstel 121 (1988) 211

Winnik, M.A., see K. Sienicki 121 (1988) 163
Wright, J.S., see V.J. Barclay 121 (1988) 381

Yamazaki, I., see N. Boens 121 (1988) 73
Yanagibori, A., see K. Shibuya 121 (1988) 237
Yu, D., see S.-K. Leung 121 (1988) 393

Zioło, J., see W. Pyżuk 121 (1988) 255
Zozulenko, I.V., see A.I. Onipko 121 (1988) 99

LIST OF SUBJECTS

1 METHODS

1.1 Theoretical

- 1.1.1 Group theory and algebras *
- 1.1.2 Classical mechanics *
- 1.1.3 Quantized field theory *
- 1.1.4 Many body and quasiparticle approaches *
- 1.1.5 Coupling schemes and perturbative treatments *
- 1.1.6 Relativistic quantum mechanics *
- 1.1.7 Transport quantum mechanics
- 1.1.8 Equilibrium statistical mechanics
- 1.1.9 Statistical mechanics of stationary states *
- 1.1.10 Non-equilibrium thermodynamic and hydrodynamic theories *
- 1.1.11 Ab initio schemes for stationary properties *
- 1.1.12 Computational and simulation methods *
- 1.1.13 Molecular dynamics and scattering theory *

1.2 Experimental

- 1.2.1 Magnetic resonances
- 1.2.2 Cyclotron resonance
- 1.2.3 Microwave spectroscopy
- 1.2.4 Infrared spectroscopy *
- 1.2.5 Raman spectroscopy *
- 1.2.6 Visible and UV spectroscopy *
- 1.2.7 Fluorescence spectroscopy *
- 1.2.8 Photoelectron and Auger spectroscopy
- 1.2.9 X-ray spectroscopy *
- 1.2.10 Electron impact spectroscopy *
- 1.2.11 Laser methods *
- 1.2.12 Picosecond spectroscopy *
- 1.2.13 Non-linear optical spectroscopy *
- 1.2.14 Synchrotron spectroscopies *
- 1.2.15 Coherent optical spectroscopy
- 1.2.16 Optical pumping
- 1.2.17 Multiple resonance spectroscopy
- 1.2.18 Optoacoustic spectroscopy
- 1.2.19 Atomic and molecular beam techniques *
- 1.2.20 Time-resolved experiments *
- 1.2.21 Mass spectrometry *
- 1.2.22 Radiolysis *
- 1.2.23 Mössbauer spectroscopy
- 1.2.24 X-ray, electron and neutron diffraction
- 1.2.25 Neutron scattering *
- 1.2.26 Light scattering
- 1.2.27 Field emission and field ionization
- 1.2.28 Measurement of macroscopic variables *

2 OBJECTS

2.1 Bulk systems

- 2.1.1 Gases *
- 2.1.2 Supersonic beams *
- 2.1.3 Liquids neat *
- 2.1.4 Liquid mixtures and solutions *
- 2.1.5 Crystals *
- 2.1.5.1 neat *
- 2.1.5.2 mixed *
- 2.1.6 Glasses
- 2.1.7 Liquid crystals *
- 2.1.8 Polymers *
- 2.1.9 Semiconductors
- 2.1.10 Metals and alloys
- 2.1.11 Thin films
- 2.1.12 Surfaces
- 2.1.13 Low-dimensional materials *
- 2.1.14 Dielectrics *
- 2.1.15 Plasmas
- 2.1.16 Biological systems

2.2 Microscopic systems

- 2.2.1 Atoms *
- 2.2.2 Molecules (neutral and ionic) *
- 2.2.2.1 diatomic *
- 2.2.2.2 small polyatomics *
- 2.2.2.3 aromatics *
- 2.2.2.4 other large *
- 2.2.2.5 polymeric and biological
- 2.2.3 Molecular aggregates *
- 2.2.3.1 dimers *
- 2.2.3.2 van der Waals molecules
- 2.2.3.3 clusters
- 2.2.3.4 complexes
- 2.2.4 Free radicals (including hydronium and muonium) *
- 2.2.5 Quasiparticles (including excitons) *
- 2.2.6 Defects and impurities
- 2.2.7 Ions and charge carriers

* Denotes subjects covered in this volume

3 PHENOMENA

3.1	Molecular structure *	3.16	Multiphoton phenomena
3.2	Vibrations and rotations of molecules *	3.17	Reactions (including dissociation) *
3.3	Electronic structure and states *	3.17.1	gas phase *
3.4	Electric and magnetic properties *	3.17.2	condensed phase *
3.5	Spin splittings *	3.17.3	photochemical *
3.6	Optical activity *	3.18	Tunnelling *
3.7	Molecular interactions *	3.19	Electron transfer *
3.8	Spectral bandshapes and intensities *	3.20	Positron annihilation
3.9	Coupling of electronic and nuclear motion *	3.21	Ionization (including Rydberg states) *
3.10	Energy transfer processes *	3.22	Molecular motion (including diffusive) *
3.11	Molecular photophysical processes *	3.23	Isotopic effects
3.12	Intramolecular dynamics *	3.24	Fluctuations and noise
3.12.1	radiationless transitions *	3.25	Collective motion and excitations
3.12.2	vibrational energy redistribution (including vibrational dissociation) *	3.26	Surface effects and catalysis
3.13	Luminescence spectra, yields and lifetimes *	3.27	Thermodynamic and transport properties
3.14	Coherence loss processes	3.28	Structure of solids and liquids
3.15	Non-linear responses (including optical) *	3.29	Critical phenomena *
		3.30	Phase transitions

SUBJECT INDEX TO VOLUME 121

METHODS

Theoretical

Group theory and algebras

Zero-field NMR line shapes: heteronuclear spin systems, Yu.A. Serebrennikov, M.I. Majitov and Z.M. Muldakhmetov

121 (1988) 307

Classical mechanics

Fokker-Planck-Langevin and extended diffusion models of internal rotation in molecules. I. Symmetric internal rotor, T.E. Bull

121 (1988) 1

Quantized field theory

Accurate potential energy curves for the $X^1\Sigma^+$ and $A^1\Sigma^+$ states of NaH, A. Pardo, J.J. Camacho, J.M.L. Poyato and E. Martin

121 (1988) 41

Many body and quasiparticle approaches

Donor-acceptor kinetics in the presence of energy migration. Forward and reverse energy transfer, K. Sienicki and M.A. Winnik

121 (1988) 163

Electron momentum spectroscopy of the valence orbitals of CO: quantitative comparisons using wavefunctions up to the Hartree-Fock limit, C.L. French, C.E. Brion, A.O. Bawagan, P.S. Bagus and E.R. Davidson

121 (1988) 315

Effective polarizabilities in absorbing regions of molecular crystals, R.W. Munn and R.J. Phillips

121 (1988) 335

Coupling schemes and perturbative treatments

Zero-field NMR line shapes: heteronuclear spin systems, Yu.A. Serebrennikov, M.I. Majitov and Z.M. Muldakhmetov

121 (1988) 307

Relativistic quantum mechanics

Electron momentum spectroscopy of the valence orbitals of CO: quantitative comparisons using wavefunctions up to the Hartree-Fock limit, C.L. French, C.E. Brion, A.O. Bawagan, P.S. Bagus and E.R. Davidson

121 (1988) 315

Statistical mechanics of stationary states

Fokker-Planck-Langevin and extended diffusion models of internal rotation in molecules. I. Symmetric internal rotor, T.E. Bull

121 (1988) 1

Non-equilibrium thermodynamic and hydrodynamic theories

Time evolution of the excited solute-solvent interaction energy. An approach based on the Fokker-Planck equation, O. Rolinski

121 (1988) 175

Ab initio schemes for stationary properties

Spin densities and covalency in transition-metal complexes: a comparison of discrete variational $X\alpha$ calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgis and M.I. Ogden 121 (1988) 115

Coupled pair functional study on the hydrogen fluoride dimer. I. Energy surface and characterization of stationary points, M. Kofranek, H. Lischka and A. Karpfen 121 (1988) 137

An ab initio molecular orbital study of the structure and vibrational frequencies of methyl copper hydride, CH_3CuH , G.E. Quelch and I.H. Hillier 121 (1988) 183

Potential curves and predissociation rates for the species HCl^{2+} and DCl^{2+} , A. Banichevich, S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier 121 (1988) 351

Electronically excited states of chlorine monofluoride: a multi-reference configuration interaction study, K.V. Darvesh, R.J. Boyd and S.D. Peyerimhoff 121 (1988) 361

Computation of the short-range part of the intermolecular potential between Ar and CO_2 , N_2O and OCS by two different models, N. Dutartre and C. Dreyfus 121 (1988) 371

MRD CI potential surfaces using balanced basis sets. V. Second-row diatomic hydrides, V.J. Barclay and J.S. Wright 121 (1988) 381

Computational and simulation methods

Scaled quantum mechanical calculation of the vibrational structure of methylthiirane, J.S. Alper and M.A. Lowe 121 (1988) 189

Simultaneous analysis of single-photon timing data with a reference method: application to a Poisson distribution of decay rates, N. Boens, A. Malliaris, M. van der Auweraer, H. Luo and F.C. de Schryver 121 (1988) 199

A unified approach to the perturbed Morse oscillator and Simons-Parr-Finlan diatomic potential functions, I.L. Cooper 121 (1988) 343

Reinvestigation of the EXAFS and XANES spectra of ferrocene and nickelocene in the framework of the multiple scattering theory, M.F. Ruiz-Lopez, M. Loos, J. Goulon, M. Benfatto and C.R. Natoli 121 (1988) 419

Molecular dynamics and scattering theory

Fokker-Planck-Langevin and extended diffusion models of internal rotation in molecules. I. Symmetric internal rotor, T.E. Bull 121 (1988) 1

Long-range intermolecular potentials for the metastable rare gas-rare gas systems Ar^* , $\text{Kr}^*(^3\text{P}_{0,2}) + \text{Ar}$, Kr, Xe, E.R.T. Kerstel, C.P.J.W. van Kruysdijk, J.C. Vlugter and H.C.W. Beijerinck 121 (1988) 211

Experimental*Infrared spectroscopy*

Vibronic couplings in vibrational spectra and nonlinear electrooptic properties of meta-nitroaniline crystal, M.M. Szostak 121 (1988) 449

Raman spectroscopy

Vibronic couplings in vibrational spectra and nonlinear electrooptic properties of meta-nitroaniline crystal, M.M. Szostak 121 (1988) 449

Visible and UV spectroscopy

Accurate potential energy curves for the $X^1\Sigma^+$ and $A^1\Sigma^+$ states of NaH , A. Pardo, J.J. Camacho, J.M.L. Poyato and E. Martin 121 (1988) 41

Spectroscopy and kinetics of thiophenoxy radicals in the gas phase, K. Shibuya, M. Nemoto, A. Yanagibori, M. Fukushima and K. Obi 121 (1988) 237

Measurement of broadening rates, shifts, and effective lifetimes of Li_2 Rydberg levels by optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder 121 (1988) 439

Fluorescence spectroscopy

Fluorescence lifetimes of NO $A^2\Sigma^+$ ($\nu' = 3$ and 4), $C^2\Pi(\nu' = 0)$ and $D^2\Sigma^+$ ($\nu' = 0$) studied by tunable VUV laser excitation, K. Tsukiyama, T. Munakata, M. Tsukakoshi and T. Kasuya 121 (1988) 55

Formation of $\text{NH}(c^1\Pi)$ and $\text{NH}(A^3\Pi)$ in the photolysis of NH_3 , HN_3 and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori 121 (1988) 63

On the use and the performance of the delta function convolution method for the estimation of fluorescence decay parameters, N. Boens, M. Ameloot, I. Yamazaki and F.C. de Schryver 121 (1988) 73

Donor-acceptor kinetics in the presence of energy migration. Forward and reverse energy transfer, K. Sienicki and M.A. Winnik 121 (1988) 163

Simultaneous analysis of single-photon timing data with a reference method: application to a Poisson distribution of decay rates, N. Boens, A. Malliaris, M. van der Auweraer, H. Luo and F.C. de Schryver 121 (1988) 199

Exciton trapping at perturbed Mn^{2+} sites in Li^+ doped crystals of RbMnCl_3 and CsMnBr_3 , G.N. Kwawer, R.A. Auerbach and G.L. McPherson 121 (1988) 299

Non-radiative relaxation in jet-cooled xanthione and some molecular complexes studied by fluorescence and phosphorescence excitation, A.L. Motyka and M.R. Topp 121 (1988) 405

Two-photon formation of $\text{NH}/\text{ND}(A^3\Pi)$ in the 193 nm photolysis of ammonia. II. Photolysis of NH_2 , R.D. Kenner, R.K. Browarzik and F. Stuhl 121 (1988) 457

X-ray spectroscopy

Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shell spectra of SO_2F_2 , SO_2FCl and SO_2Cl_2 , A.P. Hitchcock and M. Tronc 121 (1988) 265

Reinvestigation of the EXAFS and XANES spectra of ferrocene and nickelocene in the framework of the multiple scattering theory, M.F. Ruiz-Lopez, M. Loos, J. Goulon, M. Benfatto and C.R. Natoli 121 (1988) 419

Electron impact spectroscopy

Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy loss and photoabsorption spectroscopies, K.H. Sze, C.E. Brion, M. Tronc, S. Bodeur and A.P. Hitchcock 121 (1988) 279

Electron momentum spectroscopy of the valence orbitals of CO: quantitative comparisons using wavefunctions up to the Hartree-Fock limit, C.L. French, C.E. Brion, A.O. Bawagan, P.S. Bagus and E.R. Davidson 121 (1988) 315

Laser methods

Picosecond optical phase conjugation using conjugated organic molecules, C. Maloney, H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly 121 (1988) 21

Differential and absolute-total cross section measurements on elastic $\text{Ne}^*(^3\text{P}_{0,2})-\text{He}$ col-

lisions at 64 meV, P. Féron, Ph. Girard, J. Robert, J. Reinhardt and J. Baudon 121 (1988) 155

Spectroscopy and kinetics of thiophenoxy radicals in the gas phase, K. Shibuya, M. Nemoto, A. Yanagibori, M. Fukushima and K. Obi 121 (1988) 237

Measurement of broadening rates, shifts, and effective lifetimes of Li_2 Rydberg levels by optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder 121 (1988) 439

Picosecond spectroscopy

Picosecond optical phase conjugation using conjugated organic molecules, C. Maloney, H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly 121 (1988) 21

Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatetyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver 121 (1988) 87

Non-linear optical spectroscopy

Picosecond optical phase conjugation using conjugated organic molecules, C. Maloney, H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly 121 (1988) 21

Measurement of broadening rates, shifts, and effective lifetimes of Li_2 Rydberg levels by optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder 121 (1988) 439

Synchrotron spectroscopies

Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy loss and photoabsorption spectroscopies, K.H. Sze, C.E. Brion, M. Tronc, S. Bodeur and A.P. Hitchcock 121 (1988) 279

Reinvestigation of the EXAFS and XANES spectra of ferrocene and nickelocene in the framework of the multiple scattering theory, M.F. Ruiz-Lopez, M. Loos, J. Goulon, M. Benfatto and C.R. Natoli 121 (1988) 419

Atomic and molecular beam techniques

Production of multiply charged ions from CO and CO_2 molecules in energetic heavy-ion impact, T. Matsuo, T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara 121 (1988) 93

Differential and absolute-total cross section measurements on elastic $\text{Ne}^*(^3\text{P}_{0,2})$ -He collisions at 64 meV, P. Féron, Ph. Girard, J. Robert, J. Reinhardt and J. Baudon 121 (1988) 155

Long-range intermolecular potentials for the metastable rare gas-rare gas systems Ar^* , $\text{Kr}^*(^3\text{P}_{0,2}) + \text{Ar}$, Kr, Xe, E.R.T. Kerstel, C.P.J.W. van Kruysdijk, J.C. Vlugter and H.C.W. Beijerinck 121 (1988) 211

Time-resolved experiments

On the use and the performance of the delta function convolution method for the estimation of fluorescence decay parameters, N. Boens, M. Ameloot, I. Yamazaki and F.C. de Schryver 121 (1988) 73

Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatetyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver 121 (1988) 87

Diffusive excitation energy transport in quasi-one-dimensional crystals with traps and in related systems, A.I. Onipko, L.I. Malysheva and I.V. Zozulenko 121 (1988) 99

Spectroscopy and kinetics of thiophenoxy radicals in the gas phase, K. Shibuya, M. Nemoto, A. Yanagibori, M. Fukushima and K. Obi 121 (1988) 237

The reaction of muonium with hydrated electrons, S.-K. Leung, J.-C. Brodovitch, P.W. Percival, D. Yu and K.E. Newman	121 (1988) 393
<i>Mass spectrometry</i>	
Production of multiply charged ions from CO and CO ₂ molecules in energetic heavy-ion impact, T. Matsuo, T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara	121 (1988) 93
<i>Radiolysis</i>	
The reaction of muonium with hydrated electrons, S.-K. Leung, J.-C. Brodovitch, P.W. Percival, D. Yu and K.E. Newman	121 (1988) 393
<i>Neutron scattering</i>	
Spin densities and covalency in transition-metal complexes: a comparison of discrete variational X α calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgis and M.I. Ogden	121 (1988) 115
<i>Measurement of macroscopic variables</i>	
Pyrrolidine conformation: a low-temperature dielectric relaxation study, J. Gilchrist, J.-C. Duplan and Y. Infarnet	121 (1988) 131
Evolution of photoelectric signal in pTS diacetylene single crystals during solid-state polymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault	121 (1988) 245
Pretransitional nonlinear dielectric effect, Kerr effect and optical rotation in isotropic cholesterologens, W. Pyżuk, I. Słomka, J. Chrąpeć, S. Rzoska and J. Ziolo	121 (1988) 255
OBJECTS	
Bulk systems	
<i>Gases</i>	
Formation of NH(c ¹ Π) and NH(A ³ Π) in the photolysis of NH ₃ , HN ₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori	121 (1988) 63
<i>Supersonic beams</i>	
Non-radiative relaxation in jet-cooled xanthione and some molecular complexes studied by fluorescence and phosphorescence excitation, A.L. Motyka and M.R. Topp	121 (1988) 405
<i>Liquids neat</i>	
Zero-field NMR line shapes: heteronuclear spin systems, Yu.A. Serebrennikov, M.I. Majitov and Z.M. Muldakhmetov	121 (1988) 307
<i>Liquid mixtures and solutions</i>	
Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatetyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver	121 (1988) 87
Donor-acceptor kinetics in the presence of energy migration. Forward and reverse energy transfer, K. Sienicki and M.A. Winnik	121 (1988) 163

Crystals

Exciton trapping at perturbed Mn^{2+} sites in Li^+ doped crystals of $RbMnCl_3$ and $CsMnBr_3$,
G.N. Kwawer, R.A. Auerbach and G.L. McPherson

121 (1988) 299

-neat

Vibronic couplings in vibrational spectra and nonlinear electrooptic properties of meta-nitroaniline crystal, M.M. Szostak

121 (1988) 449

-mixed

Evolution of photoelectric signal in *p*TS diacetylene single crystals during solid-state polymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault

121 (1988) 245

Liquid crystals

Pretransitional nonlinear dielectric effect, Kerr effect and optical rotation in isotropic cholesterologens, W. Pyżuk, I. Słomka, J. Chrapeć, S. Rzoska and J. Ziolo

121 (1988) 255

Polymers

Evolution of photoelectric signal in *p*TS diacetylene single crystals during solid-state polymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault

121 (1988) 245

Low-dimensional materials

Diffusive excitation energy transport in quasi-one-dimensional crystals with traps and in related systems, A.I. Onipko, L.I. Malysheva and I.V. Zozulenko

121 (1988) 99

Evolution of photoelectric signal in *p*TS diacetylene single crystals during solid-state polymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault

121 (1988) 245

Dielectrics

Pyrrolidine conformation: a low-temperature dielectric relaxation study, J. Gilchrist, J.-C. Duplan and Y. Infarnet

121 (1988) 131

Effective polarizabilities in absorbing regions of molecular crystals, R.W. Munn and R.J. Phillips

121 (1988) 335

*Microscopic systems**Atoms*

Long-range intermolecular potentials for the metastable rare gas-rare gas systems Ar^* , $Kr^*(^3P_{0,2}) + Ar$, Kr, Xe, E.R.T. Kerstel, C.P.J.W. van Kruysdijk, J.C. Vlugter and H.C.W. Beijerinck

121 (1988) 211

Molecules (neutral and ionic)

Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver

121 (1988) 87

Production of multiply charged ions from CO and CO_2 molecules in energetic heavy-ion impact, T. Matsuo, T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara

121 (1988) 93

Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shell spectra of SO_2F_2 , SO_2FCl and SO_2Cl_2 , A.P. Hitchcock and M. Tronc

121 (1988) 265

-diatomic

Accurate potential energy curves for the $X^1\Sigma^+$ and $A^1\Sigma^+$ states of NaH, A. Pardo, J.J. Camacho, J.M.L. Poyato and E. Martin 121 (1988) 41

Fluorescence lifetimes of NO $A^2\Sigma^+$ ($\nu' = 3$ and 4), $C^2\Pi(\nu' = 0)$ and $D^2\Sigma^+(\nu' = 0)$ studied by tunable VUV laser excitation, K. Tsukiyama, T. Munakata, M. Tsukakoshi and T. Kasuya 121 (1988) 55

Differential and absolute-total cross section measurements on elastic $Ne^*(^3P_{0,2})$ -He collisions at 64 meV, P. Férion, Ph. Girard, J. Robert, J. Reinhardt and J. Baudon 121 (1988) 155

Electron momentum spectroscopy of the valence orbitals of CO: quantitative comparisons using wavefunctions up to the Hartree-Fock limit, C.L. French, C.E. Brion, A.O. Bawagan, P.S. Bagus and E.R. Davidson 121 (1988) 315

A unified approach to the perturbed Morse oscillator and Simons-Parr-Finlan diatomic potential functions, I.L. Cooper 121 (1988) 343

Potential curves and predissociation rates for the species HCl^{2+} and DCl^{2+} , A. Banichevich, S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier 121 (1988) 351

Electronically excited states of chlorine monofluoride: a multi-reference configuration interaction study, K.V. Darvesh, R.J. Boyd and S.D. Peyerimhoff 121 (1988) 361

MRD CI potential surfaces using balanced basis sets. V. Second-row diatomic hydrides, V.J. Barclay and J.S. Wright 121 (1988) 381

Measurement of broadening rates, shifts, and effective lifetimes of Li_2 Rydberg levels by optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder 121 (1988) 439

Two-photon formation of NH/ND($A^3\Pi$) in the 193 nm photolysis of ammonia. II. Photolysis of NH_2 , R.D. Kenner, R.K. Browarzik and F. Stuhl 121 (1988) 457

-small polyatomics

Formation of NH($c^1\Pi$) and NH($A^3\Pi$) in the photolysis of NH_3 , HN_3 and $HNCO$ at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori 121 (1988) 63

Spin densities and covalency in transition-metal complexes: a comparison of discrete variational $X\alpha$ calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgis and M.I. Ogden 121 (1988) 115

An ab initio molecular orbital study of the structure and vibrational frequencies of methyl copper hydride, CH_3CuH , G.E. Quelch and I.H. Hillier 121 (1988) 183

Scaled quantum mechanical calculation of the vibrational structure of methylthiirane, J.S. Alper and M.A. Lowe 121 (1988) 189

Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shell spectra of SO_2F_2 , SO_2FCl and SO_2Cl_2 , A.P. Hitchcock and M. Tronc 121 (1988) 265

Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy loss and photoabsorption spectroscopies, K.H. Sze, C.E. Brion, M. Tronc, S. Bodeur and A.P. Hitchcock 121 (1988) 279

Two-photon formation of NH/ND($A^3\Pi$) in the 193 nm photolysis of ammonia. II. Photolysis of NH_2 , R.D. Kenner, R.K. Browarzik and F. Stuhl 121 (1988) 457

-aromatics

Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver 121 (1988) 87

-other large

Picosecond optical phase conjugation using conjugated organic molecules, C. Maloney, H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly 121 (1988) 21

Pyrrolidine conformation: a low-temperature dielectric relaxation study, J. Gilchrist, J.-C. Duplan and Y. Infarnet 121 (1988) 131

Molecular aggregates

Simultaneous analysis of single-photon timing data with a reference method: application to a Poisson distribution of decay rates, N. Boens, A. Malliaris, M. van der Auweraer, H. Luo and F.C. de Schryver 121 (1988) 199

-dimers

Coupled pair functional study on the hydrogen fluoride dimer. I. Energy surface and characterization of stationary points, M. Kofranek, H. Lischka and A. Karpfen 121 (1988) 137

Free radicals (including hydronium and muonium)

Formation of NH($c^1\Pi$) and NH($A^3\Pi$) in the photolysis of NH₃, HN₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori 121 (1988) 63

Spectroscopy and kinetics of thiophenoxy radicals in the gas phase, K. Shibuya, M. Nemoto, A. Yanagibori, M. Fukushima and K. Obi 121 (1988) 237

The reaction of muonium with hydrated electrons, S.-K. Leung, J.-C. Brodovitch, P.W. Percival, D. Yu and K.E. Newman 121 (1988) 393

Quasiparticles (including excitons)

Diffusive excitation energy transport in quasi-one-dimensional crystals with traps and in related systems, A.I. Onipko, L.I. Malysheva and I.V. Zozulenko 121 (1988) 99

PHENOMENA*Molecular structure*

Spin densities and covalency in transition-metal complexes: a comparison of discrete variational X α calculations with polarised neutron diffraction data, R.J. Deeth, B.N. Figgis and M.I. Ogden 121 (1988) 115

Pyrrolidine conformation: a low-temperature dielectric relaxation study, J. Gilchrist, J.-C. Duplan and Y. Infarnet 121 (1988) 131

Coupled pair functional study on the hydrogen fluoride dimer. I. Energy surface and characterization of stationary points, M. Kofranek, H. Lischka and A. Karpfen 121 (1988) 137

An ab initio molecular orbital study of the structure and vibrational frequencies of methyl copper hydride, CH₃CuH, G.E. Quelch and I.H. Hillier 121 (1988) 183

MRD CI potential surfaces using balanced basis sets. V. Second-row diatomic hydrides, V.J. Barclay and J.S. Wright 121 (1988) 381

Vibrations and rotations of molecules

Coupled pair functional study on the hydrogen fluoride dimer. I. Energy surface and characterization of stationary points, M. Kofranek, H. Lischka and A. Karpfen 121 (1988) 137

An ab initio molecular orbital study of the structure and vibrational frequencies of methyl copper hydride, CH₃CuH, G.E. Quelch and I.H. Hillier 121 (1988) 183

Scaled quantum mechanical calculation of the vibrational structure of methylthiirane, J.S. Alper and M.A. Lowe 121 (1988) 189

Zero-field NMR line shapes: heteronuclear spin systems, Yu.A. Serebrennikov, M.I. Majitov and Z.M. Muldakhmetov 121 (1988) 307

A unified approach to the perturbed Morse oscillator and Simons-Parr-Finlan diatomic potential functions, I.L. Cooper 121 (1988) 343

MRD CI potential surfaces using balanced basis sets. V. Second-row diatomic hydrides, V.J. Barclay and J.S. Wright 121 (1988) 381

Electronic structure and states

Accurate potential energy curves for the $X^1\Sigma^+$ and $A^1\Sigma^+$ states of NaH, A. Pardo, J.J. Camacho, J.M.L. Poyato and E. Martin 121 (1988) 41

Fluorescence lifetimes of NO $A^2\Sigma^+$ ($v' = 3$ and 4), $C^2\Pi(v' = 0)$ and $D^2\Sigma^+$ ($v' = 0$) studied by tunable VUV laser excitation, K. Tsukiyama, T. Munakata, M. Tsukakoshi and T. Kasuya 121 (1988) 55

An ab initio molecular orbital study of the structure and vibrational frequencies of methyl copper hydride, CH_3CuH , G.E. Quelch and I.H. Hillier 121 (1988) 183

Inner and valence shell electronic excitation of dimethyl sulfoxide by electron energy loss and photoabsorption spectroscopies, K.H. Sze, C.E. Brion, M. Tronc, S. Bodeur and A.P. Hitchcock 121 (1988) 279

Electron momentum spectroscopy of the valence orbitals of CO: quantitative comparisons using wavefunctions up to the Hartree-Fock limit, C.L. French, C.E. Brion, A.O. Bawagan, P.S. Bagus and E.R. Davidson 121 (1988) 315

Potential curves and predissociation rates for the species HCl^{2+} and DCl^{2+} , A. Banichevich, S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier 121 (1988) 351

Electronically excited states of chlorine monofluoride: a multi-reference configuration interaction study, K.V. Darvesh, R.J. Boyd and S.D. Peyerimhoff 121 (1988) 361

MRD CI potential surfaces using balanced basis sets. V. Second-row diatomic hydrides, V.J. Barclay and J.S. Wright 121 (1988) 381

Electric and magnetic properties

Evolution of photoelectric signal in *p*TS diacetylene single crystals during solid-state polymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault 121 (1988) 245

Pretransitional nonlinear dielectric effect, Kerr effect and optical rotation in isotropic cholesterologens, W. Pyżuk, I. Słomka, J. Chrąć, S. Rzosa and J. Ziolo 121 (1988) 255

Effective polarizabilities in absorbing regions of molecular crystals, R.W. Munn and R.J. Phillips 121 (1988) 335

Spin splittings

Zero-field NMR line shapes: heteronuclear spin systems, Yu.A. Serebrennikov, M.I. Majitov and Z.M. Muldakhmetov 121 (1988) 307

Optical activity

Pretransitional nonlinear dielectric effect, Kerr effect and optical rotation in isotropic cholesterologens, W. Pyżuk, I. Słomka, J. Chrąć, S. Rzosa and J. Ziolo 121 (1988) 255

Molecular interactions

Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver 121 (1988) 87

Coupled pair functional study on the hydrogen fluoride dimer. I. Energy surface and characterization of stationary points, M. Kofranek, H. Lischka and A. Karpfen 121 (1988) 137

Differential and absolute-total cross section measurements on elastic $\text{Ne}^*(^3\text{P}_{0,2})$ -He collisions at 64 meV, P. Féron, Ph. Girard, J. Robert, J. Reinhardt and J. Baudon 121 (1988) 155

Time evolution of the excited solute-solvent interaction energy. An approach based on the Fokker-Planck equation, O. Roliński 121 (1988) 175

Long-range intermolecular potentials for the metastable rare gas-rare gas systems Ar^* , $\text{Kr}^*(^3\text{P}_{0,2}) + \text{Ar}$, Kr, Xe, E.R.T. Kerstel, C.P.J.W. van Kruysdijk, J.C. Vlugter and H.C.W. Beijerinck 121 (1988) 211

A unified approach to the perturbed Morse oscillator and Simons-Parr-Finlan diatomic potential functions, I.L. Cooper 121 (1988) 343

Spectral bandshapes and intensities

Effective polarizabilities in absorbing regions of molecular crystals, R.W. Munn and R.J. Phillips 121 (1988) 335

Measurement of broadening rates, shifts, and effective lifetimes of Li_2 Rydberg levels by optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder 121 (1988) 439

Coupling of electronic and nuclear motion

Vibronic couplings in vibrational spectra and nonlinear electrooptic properties of meta-nitroaniline crystal, M.M. Szostak 121 (1988) 449

Energy transfer processes

Diffusive excitation energy transport in quasi-one-dimensional crystals with traps and in related systems, A.I. Onipko, L.I. Malysheva and I.V. Zozulenko 121 (1988) 99

Donor-acceptor kinetics in the presence of energy migration. Forward and reverse energy transfer, K. Sienicki and M.A. Winnik 121 (1988) 163

Long-range intermolecular potentials for the metastable rare gas-rare gas systems Ar^* , $\text{Kr}^*(^3\text{P}_{0,2}) + \text{Ar}$, Kr, Xe, E.R.T. Kerstel, C.P.J.W. van Kruysdijk, J.C. Vlugter and H.C.W. Beijerinck 121 (1988) 211

Exciton trapping at perturbed Mn^{2+} sites in Li^+ doped crystals of RbMnCl_3 and CsMnBr_3 , G.N. Kwawer, R.A. Auerbach and G.L. McPherson 121 (1988) 299

Measurement of broadening rates, shifts, and effective lifetimes of Li_2 Rydberg levels by optical double-resonance spectroscopy, R. Bombach, B. Hemmerling and W. Demtröder 121 (1988) 439

Molecular photophysical processes

On the use and the performance of the delta function convolution method for the estimation of fluorescence decay parameters, N. Boens, M. Ameloot, I. Yamazaki and F.C. de Schryver 121 (1988) 73

Simultaneous analysis of single-photon timing data with a reference method: application to a Poisson distribution of decay rates, N. Boens, A. Malliaris, M. van der Auweraer, H. Luo and F.C. de Schryver 121 (1988) 199

Two-photon formation of $\text{NH/ND}(\text{A}^3\Pi)$ in the 193 nm photolysis of ammonia. II. Photolysis of NH_2 , R.D. Kenner, R.K. Browarzik and F. Stuhl 121 (1988) 457

Intramolecular dynamics

Production of multiply charged ions from CO and CO₂ molecules in energetic heavy-ion impact, T. Matsuo, T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara

121 (1988) 93

Non-radiative relaxation in jet-cooled xanthione and some molecular complexes studied by fluorescence and phosphorescence excitation, A.L. Motyka and M.R. Topp

121 (1988) 405

-radiationless transitions

Potential curves and predissociation rates for the species HCl²⁺ and DCl²⁺, A. Banichevich, S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier

121 (1988) 351

Non-radiative relaxation in jet-cooled xanthione and some molecular complexes studied by fluorescence and phosphorescence excitation, A.L. Motyka and M.R. Topp

121 (1988) 405

-vibrational energy redistribution (including vibrational dissociation)

Non-radiative relaxation in jet-cooled xanthione and some molecular complexes studied by fluorescence and phosphorescence excitation, A.L. Motyka and M.R. Topp

121 (1988) 405

Luminescence spectra, yields and lifetimes

Fluorescence lifetimes of NO A²Σ⁺ ($v' = 3$ and 4), C²Π($v' = 0$) and D²Σ⁺ ($v' = 0$) studied by tunable VUV laser excitation, K. Tsukiyama, T. Munakata, M. Tsukakoshi and T. Kasuya

121 (1988) 55

Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH₃, HN₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori

121 (1988) 63

On the use and the performance of the delta function convolution method for the estimation of fluorescence decay parameters, N. Boens, M. Ameloot, I. Yamazaki and F.C. de Schryver

121 (1988) 73

Exciton trapping at perturbed Mn²⁺ sites in Li⁺ doped crystals of RbMnCl₃ and CsMnBr₃, G.N. Kwawer, R.A. Auerbach and G.L. McPherson

121 (1988) 299

Non-linear responses (including optical)

Picosecond optical phase conjugation using conjugated organic molecules, C. Maloney, H. Byrne, W.M. Dennis, W. Blau and J.M. Kelly

121 (1988) 21

Vibronic couplings in vibrational spectra and nonlinear electrooptic properties of meta-nitroaniline crystal, M.M. Szostak

121 (1988) 449

*Reactions (including dissociation)**-gas phase*

Fluorescence lifetimes of NO A²Σ⁺ ($v' = 3$ and 4), C²Π($v' = 0$) and D²Σ⁺ ($v' = 0$) studied by tunable VUV laser excitation, K. Tsukiyama, T. Munakata, M. Tsukakoshi and T. Kasuya

121 (1988) 55

Formation of NH(c¹Π) and NH(A³Π) in the photolysis of NH₃, HN₃ and HNCO at 121.6 nm, T. Hikida, Y. Maruyama, Y. Saito and Y. Mori

121 (1988) 63

-condensed phase

Evolution of photoelectric signal in pTS diacetylene single crystals during solid-state polymerization, M. Orczyk, J. Sworakowski, M. Schott and M. Bertault

121 (1988) 245

The reaction of muonium with hydrated electrons, S.-K. Leung, J.-C. Brodovitch, P.W. Percival, D. Yu and K.E. Newman

121 (1988) 393

-photochemical

Two-photon formation of NH/ND(A³Π) in the 193 nm photolysis of ammonia. II. Photolysis of NH₂, R.D. Kenner, R.K. Browarzik and F. Stuhl

121 (1988) 457

Tunnelling

Potential curves and predissociation rates for the species HCl²⁺ and DCl²⁺, A. Banichevich, S.D. Peyerimhoff, M.C. van Hemert and P.G. Fournier

121 (1988) 351

Electron transfer

Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver

121 (1988) 87

Ionization (including Rydberg states)

Production of multiply charged ions from CO and CO₂ molecules in energetic heavy-ion impact, T. Matsuo, T. Tonuma, M. Kase, T. Kambara, H. Kumagai and H. Tawara

121 (1988) 93

Ionization current detection of soft X-ray photoabsorption: sulfur and chlorine K-shell spectra of SO₂F₂, SO₂FCl and SO₂Cl₂, A.P. Hitchcock and M. Tronc

121 (1988) 265

Molecular motion (including diffusive)

Fokker-Planck-Langevin and extended diffusion models of internal rotation in molecules. I. Symmetric internal rotor, T.E. Bull

121 (1988) 1

Photoinduced intramolecular electron transfer and exciplex formation of 1-(1-pyrenyl)-3-(N-skatolyl)propane in polar solvents, K. Nakatani, T. Okada, N. Mataga and F.C. de Schryver

121 (1988) 87

The reaction of muonium with hydrated electrons, S.-K. Leung, J.-C. Brodovitch, P.W. Percival, D. Yu and K.E. Newman

121 (1988) 393

Critical phenomena

Pretransitional nonlinear dielectric effect, Kerr effect and optical rotation in isotropic cholesterologens, W. Pyżuk, I. Słomka, J. Chrąpeć, S. Rzoska and J. Ziolo

121 (1988) 255

